





machine with 2 working units (one top & one bottom unit)



machine with 4 working units (two top & two bottom unit)



SERIE MB2**SERIE MB4****series of machines equipped with**

These units are composed by a series of vertical brushes, rotating at high speed (inverter controlled) and oscillating side-ways at adjustable rate of oscillation. Combining the vertical axis rotation with high frequency oscillation, allows to achieve a perfect deburring in all directions with a single working unit.

The XVS unit is ideal for a multitude of operations:

deburring, oxide removal, edge rounding, etc. The flexibility of the abrasive brush cups ensures a perfect burr removal even on up-formed parts, as well as on PVC protected, galvanized, pre-painted, zinc coated, etc. materials




The adjustment of the working pressure is electronically controlled and visualized in the main panel.

The pressure units are very close to the brush units to process small parts.


The XVS units are extractable to allow an easy tool change and regular maintenance. They are prepared to operate with standard low-cost brush cups, as well as more specialized, custom, brushes.



bottom & top XVS multifunction brushing units only



Location - Italy - Veneto



Airports

Venezia: 90 Km - 1h drive
Treviso: 75 Km - 1,5 h drive
Verona: 65 Km - 45 min drive
Bologna: 160 Km - 2h drive

Train Station

Vicenza: 30 km - 30 min drive

Car Directions


To the Factories in Sandrigo
Highway A31 - Exit Dueville - 3,5 km

To the Main Office in Schio
Highway A31 - Exit Thiene-Schio - 13 Km




Headquarter of Schio

Via Venezia, 144
36015 Schio




Factory of Sandrigo 2

Via G. Galilei, 5
36066 Sandrigo
Italy



Factory of Sandrigo 3

Via Galvani, 1
36066 Sandrigo
Italy



We reserve the right to change features without any notice